





EVD 1 GROUP electronic coffee machine
 EVD 2 GROUPS electronic coffee machine
 EVD - COMPATTA electronic compact coffee machine

Fun and funky, this machine adds exuberance and style to your coffee,
chameleon-style: available in different sizes and colours to suit your needs.

A professional coffee machine bursting with personality that will appeal to anyone operating in **young, trendy surroundings** that to show off this must-have piece of hip design.

Groups		1	2	compact
Voltage	V	120* / 230-240	120* / 230-240-400	230-240
Power	W	1.300* / 2.700	2.900* / 3.900	2.700
Boiler	Lt / US gal	2,5 / 0.57	10,5 / 2.38	2,5 / 0.57
Width	L = cm / in	39 / 15.35	74,5 / 29.33	56 / 22.05
Depth	P = cm / in	52,5 / 20.67	52,5 / 20.67	52,5 / 20.67
Height	H = cm / in	51,1 / 20.12	51,1 / 20.12	51,1 / 20.12
Net Weight PV	kg / lb	38 / 83.78	--	45 / 99.21
Gross WeightPV	kg / lb	47 / 103.62	--	54 / 119.05
Net Weight PR	kg / lb	43 / 94.80	63 / 138.89	45 / 99.21
Gross WeightPR	kg / lb	52 / 114.64	73 / 160.94	54 / 119.05
Packed Volume	m ³ / ft ³	0,23 / 8.12	0,45 / 15.79	0,340 / 12.07

EVD 1 GRUPPO electronic coffee machine

- Wega standard group with thermosiphon circulation.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- Available with inner tank and vibration pump (mod. PV) or with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a wide and solid stainless steel flap.
- Work area LED downlighters as standard

EVD 2 Groups electronic coffee machine

- Wega standard group with thermosiphon circulation.
- Programming of four doses per group.
- Two stainless steel steam tubes.
- A hot water dispenser and two manual buttons for coffee dispensing.
- Automatic level.
- Only available with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.

EVD 2 Groups COMPATTA electronic compact coffee machine

- Thermoheated coupling ring group.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- A model that is already set up both for the inner tank with vibration pump (mod. PV) and for connection to the water mains.
- Innovative energy-saving system thanks to which it is possible to place one or both boilers of the dispensing groups on stand-by.
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.

